# Refine Search

## Search Results -

| Terms | Documents |
|---|---|
| (id or identifier) near cached adj object and (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) | 1 |

**Database:**

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

**Search:**

L186

[Refine Search]

[Recall Text] [Clear] [Interrupt]

## Search History

**DATE: Thursday, August 16, 2007**   Purge Queries   Printable Copy   Create Case

| Set Name side by side | Query | Hit Count | Set Name result set |
|---|---|---|---|
| | *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | | |
| L186 | (id or identifier) near cached adj object and (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) | 1 | L186 |
| L185 | (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) and L184 | 20 | L185 |
| L184 | timestamp near cach$3 | 86 | L184 |
| L183 | (cach$3 near (updat$3 or modif$6)) and L182 | 41 | L183 |
| L182 | hash$3 near file | 1034 | L182 |
| L181 | hash$3 near file near path | 3 | L181 |
| L180 | (cach$3 near (updat$3 or modif$6)) and hash$3 near path | 13 | L180 |
| L179 | (cach$3).ab,ti. and hash$3 near path | 5 | L179 |
| L178 | cach$3 adj object and hash$3 near path | 4 | L178 |
| | *DB=USPT; PLUR=YES; OP=OR* | | |
| L177 | US-6792436-B1.did. | 1 | L177 |

| L176 | US-6792436-B1.did. | 1 | L176 |
|---|---|---|---|
| *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | | | |
| L175 | synchroniz$5 with cach$3 adj object | 54 | L175 |
| L174 | L171 and L173 | 11 | L174 |
| L173 | notif$7 near log$4 | 1706 | L173 |
| L172 | L127 and L171 | 6 | L172 |
| L171 | ((notif$6 or informing) near client) with (updat$3 or modif$6) | 458 | L171 |
| L170 | L146 and L169 | 49 | L170 |
| L169 | L127 and L168 | 166 | L169 |
| L168 | L164 or L165 or L166 or L167 | 63545 | L168 |
| L167 | (719/311).ccls. | 169 | L167 |
| L166 | (711/118 \|711/119 \|711/120 \|711/121 \|711/122 \|711/123 \|711/141 \|711/142 \|711/143 \|711/144 \|711/145 \|711/146 \|711/167 \|711/168 \|711/169).ccls. | 8775 | L166 |
| L165 | (709/201 \|709/202 \|709/203 \|709/204 \|709/205 \|709/206 \|709/207 \|709/217 \|709/218 \|709/219).ccls. | 25173 | L165 |
| L164 | (707/1 \|707/2 \|707/3 \|707/4 \|707/5 \|707/6 \|707/7 \|707/8 \|707/9 \|707/10 \|707/200 \|707/201 \|707/202 \|707/203 \|707/204).ccls. | 32789 | L164 |
| L163 | L162 and (re$1connect$3 or disconnect$3) | 11 | L163 |
| L162 | (updat$3 or modif$6) near cach$3 adj object | 68 | L162 |
| *DB=USPT; PLUR=YES; OP=OR* | | | |
| L161 | '5560005'.pn. | 1 | L161 |
| L160 | '5600834'.pn. | 1 | L160 |
| L159 | '5812773'.pn. | 1 | L159 |
| L158 | '5812793'.pn. | 1 | L158 |
| L157 | '5884325'.pn. | 1 | L157 |
| L156 | '5884325'.pn. | 1 | L156 |
| L155 | '6049799'.pn. | 1 | L155 |
| L154 | '6182117'.pn. | 1 | L154 |
| L153 | '6256740'.pn. | 1 | L153 |
| L152 | '6256740'.pn. | 1 | L152 |
| *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR* | | | |
| L151 | log near offset and cach$3 | 42 | L151 |
| L150 | L148 and L149 | 100 | L150 |
| L149 | client near (re$1connect$3 or disconnect$3) | 1421 | L149 |
| L148 | (cach$3 and client near notif$6) | 1355 | L148 |
| L147 | L145 and L146 | 62 | L147 |
| L146 | mobile or (re$1connect$3 or disconnect$3) | 1332423 | L146 |
| L145 | (cach$3 adj object and client near notif$6) | 86 | L145 |
| L144 | (cach$3 adj object and client near notif$6).ab,ti. | 0 | L144 |
| L143 | (cach$3 adj object and synchroniz$4).ab,ti. | 17 | L143 |
| *DB=USPT; PLUR=YES; OP=OR* | | | |
| L142 | '6012059'.pn. | 1 | L142 |

| | | | |
|---|---|---|---|
| L141 | '6049809'.pn. | 1 | L141 |
| L140 | '6189011'.pn. | 1 | L140 |
| L139 | '6243715'.pn. | 1 | L139 |
| L138 | '6301589'.pn. | 1 | L138 |
| L137 | '6324580'.pn. | 1 | L137 |
| L136 | '6327622'.pn. | 1 | L136 |
| L135 | '6401178'.pn. | 1 | L135 |
| L134 | '6411966'.pn. | 1 | L134 |

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| | | | |
|---|---|---|---|
| L133 | L127 and L132 | 42 | L133 |
| L132 | client with (re$1connect$3 or disconnect$3) | 4496 | L132 |
| L131 | L127 and L130 | 227 | L131 |
| L130 | client with ($3connect$3) | 76735 | L130 |
| L129 | L127 and L128 | 1 | L129 |
| L128 | mobile near client with ($3connect$3) | 717 | L128 |
| L127 | cach$3 adj object with client | 309 | L127 |

*DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR*

| | | | |
|---|---|---|---|
| L126 | PARDIKAR-SHISHIR-PURUSHOTTAM! | 5 | L126 |
| L125 | ALMEIDA-DANILO-DAMICO! | 3 | L125 |
| L124 | LIN-YUN! | 65 | L124 |
| L123 | LIN-YUN! | 65 | L123 |
| L122 | KUMAR-ROHAN! | 10 | L122 |
| L121 | STEERE-DAVID-CAPPERS! | 8 | L121 |

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| | | | |
|---|---|---|---|
| L120 | @pd<20030619 and L119 | 31 | L120 |
| L119 | L115 and L118 | 89 | L119 |
| L118 | cach$3 and (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) | 25650 | L118 |
| L117 | L115 and L116 | 2 | L117 |
| L116 | (cach$3 near object or cach$3 near synchroniz$4) and (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) | 930 | L116 |
| L115 | notif$6 near (number or id or identifier) | 3451 | L115 |
| L114 | notif$6 near (id or identifier) | 1281 | L114 |
| L113 | notif$6 near (id or identifier) | 1281 | L113 |
| L112 | (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) with cach$3 near object | 28 | L112 |
| L111 | (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) with cach$3 near synchroniz$4 | 11 | L111 |
| L110 | offset near commit | 2 | L110 |
| L109 | cach$3 and L108 | 15 | L109 |
| L108 | (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) and L106 | 52 | L108 |
| L107 | L101 and L106 | 3 | L107 |

| L106 | notif$5 adj log | 155 | L106 |
|---|---|---|---|
| L105 | @pd<20030619 and L104 | 53 | L105 |
| L104 | log$4 and L102 | 141 | L104 |
| L103 | notif$6 near log$4 and L102 | 0 | L103 |
| L102 | (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) and L101 | 154 | L102 |
| L101 | cach$3 near synchroniz$4 | 488 | L101 |
| L100 | cach$3 near object with synchroniz$4 | 63 | L100 |
| L99 | @pd<20030619 and L98 | 22 | L99 |
| L98 | L96 and L97 | 107 | L98 |
| L97 | telephone or mobile or small adj footprint | 1385716 | L97 |
| L96 | cach$3 near (dis$1connect$3 or re$1connect$3 or off$1line or intermittent$2) | 259 | L96 |

*DB=USPT; PLUR=YES; OP=OR*

| L95 | '5812793'.pn. | 1 | L95 |
|---|---|---|---|
| L94 | '6182117'.pn. | 1 | L94 |
| L93 | '6256740'.pn. | 1 | L93 |
| L92 | '6256740'.pn. | 1 | L92 |

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

| L91 | 6578069.pn. | 2 | L91 |
|---|---|---|---|
| L90 | L86 and L89 | 36 | L90 |
| L89 | notif$6 same cach$3 | 5123 | L89 |
| L88 | L86 and L87 | 2 | L88 |
| L87 | notif$6 near cach$3 | 493 | L87 |
| L86 | @pd<20030619 and L85 | 175 | L86 |
| L85 | L83 and L84 | 464 | L85 |
| L84 | (client or server) near cach$3 | 7701 | L84 |
| L83 | (re$1establish$3 or disconnect$ or re$3connect$3 or re$1boot$3 or re$1start$3) near (client or server) | 4518 | L83 |
| L82 | L75 and L81 | 7 | L82 |
| L81 | L74 and L80 | 52 | L81 |
| L80 | updat$3 near client | 4831 | L80 |
| L79 | L75 and L78 | 23 | L79 |
| L78 | notification near (table or list or database or schema) | 2092 | L78 |
| L77 | cach$3 and L76 | 43 | L77 |
| L76 | L74 and L75 | 54 | L76 |
| L75 | (disconnect or re$1connect$3 or re$1establish$3 or re$1boot43 or re$1start$3) near (client or server) | 2989 | L75 |
| L74 | regist$6 near notif$6 | 2131 | L74 |
| L73 | notif$6 and L71 | 34 | L73 |
| L72 | notf$6 and L71 | 0 | L72 |
| L71 | @pd<20030619 and L70 | 81 | L71 |
| L70 | disconnected adj operation and cach$3 | 206 | L70 |

| L69 | L60 and L68 | 60 | L69 |
|-----|-------------|-----|-----|
| L68 | register$6 near client | 4053 | L68 |
| L67 | L66 and cach$3 near object | 38 | L67 |
| L66 | ((off$1line or re$1boot$3 or dis$1connect$3 or re$1start$3 or re$1establish$4 near connection)near client) with synchroniz$5 | 108 | L66 |
| L65 | synchroniz$5 with cach$3 near object with register$7 | 10 | L65 |
| L64 | synchroniz$5 with cach$3 near object with (re$1boot$3 or dis$1connect$3 or re$1start$3 or re$1establish$4 near connection) | 4 | L64 |
| L63 | synchronoiz$5 with cach$3 near object with (re$1boot$3 or dis$1connect$3 or re$1start$3 or re$1establish$4 near connection) | 0 | L63 |
| L62 | L60 and L61 | 3 | L62 |
| L61 | register$6 near client with notif$6 | 255 | L61 |
| L60 | cach$3 near object with client | 534 | L60 |
| L59 | register$6 near client with (re$1boot$3 or dis$1connect$3 or re$1start$3 or re$1establish$4 near connection) | 40 | L59 |
| L58 | register$6 near notif$6 with (re$1boot$3 or dis$1connect$3 or re$1start$3 or re$1establish$4 near connection) | 12 | L58 |
| L57 | L55 and L56 | 18 | L57 |
| L56 | register$6 near notif$6 | 1487 | L56 |
| L55 | cach$3 near object | 3388 | L55 |
| L54 | (client near2 (client or browser or remote$3)) and L53 | 135 | L54 |
| L53 | @pd<20030619 and L52 | 374 | L53 |
| L52 | (mobile near (client or device or computer) or (dis$1connect$3 or off$1line)) and L51 | 1151 | L52 |
| L51 | register$7 near (notif$6 or client or application) and cach$3 | 2586 | L51 |
| L50 | L49 and notif$7 near regist$8 | 6 | L50 |
| L49 | object near (id or identifier) with hash$3 | 276 | L49 |
| L48 | L47 and notif$7 near regist$8 | 0 | L48 |
| L47 | hash$3 with file near path | 86 | L47 |
| L46 | L45 and (object near (id or identif$6)) | 2 | L46 |
| L45 | notif$7 near regist$8 with cach$3 | 63 | L45 |
| L44 | notification near log with cach$3 | 4 | L44 |
| L43 | notification near log with (id or identif$6) | 27 | L43 |
| L42 | notification near log with (object near (id or identif$6)) | 0 | L42 |
| L41 | cach$3 and L39 | 26 | L41 |
| L40 | cach$3 with client and L39 | 1 | L40 |
| L39 | (identifier and bond near numbers) | 413 | L39 |
| L38 | field with (identifier near bond near numbers) | 0 | L38 |
| L37 | object adj identifier and bond near numbers | 1 | L37 |
| L36 | updat$3 near cach$3 near (data or information) and L35 | 51 | L36 |
| L35 | log$4 with offset | 11432 | L35 |
| L34 | notification near log$4 with offset | 1 | L34 |

| L33 | cach$3 with notif$6 and L32 | 7 | L33 |
|------|------|------|------|
| L32 | off$1set with notif$7 | 621 | L32 |
| L31 | off$1set with notif$7 near commit | 0 | L31 |
| L30 | (synchroniz$5 near (data or object or information)) and L29 | 19 | L30 |
| L29 | missing near notification | 159 | L29 |
| L28 | (synchroniz$5 near (data or object or information)) and L27 | 10 | L28 |
| L27 | Offset with commit$4 | 141 | L27 |
| L26 | Offset near commit$4 | 2 | L26 |
| L25 | notification near log with offset | 1 | L25 |
| L24 | (synchroniz$5 near (data or object or information) or cach$3) and L23 | 80 | L24 |
| L23 | (register$6 or notif$6 ) near (object) with (off$1set or number) | 485 | L23 |
| L22 | offset and L21 | 11 | L22 |
| L21 | cach$3 and L20 | 169 | L21 |
| L20 | updat$3 near client and L19 | 254 | L20 |
| L19 | (register$6 or notif$6 or interest) near (object) | 18172 | L19 |
| L18 | (register$6 near notif$6) with (off$1set or number) | 85 | L18 |
| L17 | cach$3 near (data or information or object) and L16 | 156 | L17 |
| L16 | cach$3 and L15 | 287 | L16 |
| L15 | @pd<20030619 and L14 | 1211 | L15 |
| L14 | synchroniz$5 near (data or object or information) and l10 | 1966 | L14 |
| L13 | @pd<20030619 and L12 | 100 | L13 |
| L12 | client and server and L11 | 459 | L12 |
| L11 | (cach$3 near (data or information or object)) and L10 | 3121 | L11 |
| L10 | (register$6 or notif$6) near (off$1set or number) | 47550 | L10 |
| L9 | (register$6 or notif$6) near number | 44540 | L9 |
| L8 | notification near bond and L6 | 1 | L8 |
| L7 | nitification near bond and L6 | 0 | L7 |
| L6 | aggregat$3 near (bond or number) | 3996 | L6 |
| L5 | aggregated near bond near number | 1 | L5 |
| L4 | cach$3 near (data or information or object) and L3 | 18 | L4 |
| L3 | type near notif$6 | 669 | L3 |
| L2 | type with register$6 near notif$6 | 53 | L2 |
| L1 | object near (id or identifier) with file near path | 33 | L1 |

END OF SEARCH HISTORY